## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA AUG 2 8 1978

Date of filing in State Engineer's Office							
Retu	urned to applicant for correction	OCT	5 1978				
Cori	rected application filed		·				
Мар	p filed	************	······································				
	- -	<u> </u>					
	P.O. Box 671  Street and No. or P.O. Box No.		, of Worthington  City or Town				
	Ohio 43085	., hereby r	nake application for permission to appropriate the public				
wate	State and Zip Code No.  ers of the State of Nevada: as hereinafter sta	ated (If a	pplicant is a corporation, give date and place of incorpora-				
			bers.)				
цоп							
1	The source of the proposed appropriation i	S	Underground Name of stream, lake or other source.				
			Name of stream, lake or other source.				
			150+ AC or 2.7+ second-feet				
2.	· -	ı,	One second-foot equals 448.83 gais, per min.				
			unknown acre-feet				
3.	The water to be used for Irr. a	nd dome: Irrigation	STÍC , power, mining, manufacturing, domestic, or other use.				
4.	If use is for:						
	(a) Irrigation (state number of acres to be i	rrigated)	150+				
	(b) Stockwater (state number and kinds of						
	· ·		ks")				
	•						
	(d) Power:						
			<u></u>				
5.	The water is to be diverted from its source at the following point: SE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> Sec 33 T22N R20E						
	MD&M Washoe County	nublic eneve	y, and by course and distance to a section corner. If on unsurveyed land,				
			, and by course and distance to a section content of the management,				
6.	rit should be stated.  Place of use	N R20E	MD&M Washoe County				
-	Describe	by legal subd	ivision, if on unsurveyed land it should be so stated.				
		•••••					
7.	Use will begin about January	land en	d about December 31, of each year.				
8.			ns of NRS 535.010 you may be required to submit plans and				
	specifications of your diversion or storage	works.)	well - pipes - ditches				
	State manner in which water is to be diverted, who	ether by dam	or other works, whether through pipes, ditches, flumes, or other conduits.				
	***************************************	************	······································				

	Estimated cost of works			
10.	Estimated time required to con	nstruct works	18 months	
11.	Estimated time required to con	mplete the appl	lication to beneficial us	se. 3 years
	Remarks: For use other than consumptive use.	n irrigation or s	tock watering, state nu	umber and type of units to be served or an
	Carey Act			
				***************************************
	•			
Appl	licants/011ie V. May	<b>'</b> 0		
				Ollie V. Mayo
<b>a</b>	pared dh/jw			011ie V. Mayo P.O. Box 671 Worthington, Ohio 4308
Com	pared un/Jw			=
			OF STATI	2 ENGINEED
ollov	wing limitations and conditions	S:		
	••••			
<b></b>			·····	
	***************************************	••••		
<b></b>			·	
The a	amount of water to be approp	riated shall be	limited to the amount	t which can be applied to beneficial use,
The a	amount of water to be approp	riated shall be	limited to the amount	
The a	amount of water to be approp	riated shall be	limited to the amount	t which can be applied to beneficial use,
The anot to	amount of water to be approped exceed	riated shall be	limited to the amount	t which can be applied to beneficial use,
The anot to	amount of water to be appropage exceed	riated shall be n on or before	limited to the amount cubic feet per s	t which can be applied to beneficial use,
The anot to	amount of water to be appropa o exceed	riated shall be n on or before all be filed befo	limited to the amount cubic feet per s	t which can be applied to beneficial use,
The anot to Actua Proof Work	amount of water to be appropropropropropropropropropropropropro	riated shall be n on or before all be filed before be filed before	limited to the amount cubic feet per s	t which can be applied to beneficial use,
The anot to Actua Proof Work Proof	amount of water to be approp- o exceed	riated shall be n on or before all be filed before be filed before se shall be made	limited to the amount cubic feet per some and be completed or the amount of the amount	t which can be applied to beneficial use, econd
The anot to Actua Proof Work Proof Appli	amount of water to be approproprocessed	riated shall be n on or before all be filed before be filed before se shall be made beneficial use	limited to the amount cubic feet per some and be completed or the on or before	t which can be applied to beneficial use, econd
The anot to Actua Proof Work Proof Appli Proof	amount of water to be approproprocessed	riated shall be n on or before all be filed before se shall be made beneficial use ial use shall be	limited to the amount cubic feet per some and be completed or the on or before	t which can be applied to beneficial use, econd
The anot to Actua Proof Work Proof Appli Proof Map i	amount of water to be approp- o exceed	riated shall be n on or before all be filed before se shall be made beneficial use ial use shall be	limited to the amount cubic feet per some and be completed on the shall be filed on or before	t which can be applied to beneficial use, econd  n or before
The anot to Actua Proof Work Proof Appli Proof Comm	amount of water to be approp- o exceed	riated shall be n on or before all be filed before se shall be made beneficial use ial use shall be	limited to the amount cubic feet per some and be completed on the shall be filed on or before	t which can be applied to beneficial use, econd  n or before
The anot to Actua Proof Work Proof Appli Proof Common	amount of water to be approproprocessed	riated shall be n on or before all be filed before se shall be made beneficial use ial use shall be	limited to the amount cubic feet per some and be completed on the shall be filed on or before	t which can be applied to beneficial use, econd  n or before

STATE ENGINEER